

**LINEWORKERS
 RUBBER GLOVES**

Bashlin's linemen's rubber gloves are manufactured by the White Rubber Corporation. These high quality, natural rubber Type 1 gloves are known for their "curved hand comfort" and flexibility.



Ensure proper protection of Bashlin rubber gloves by choosing a [Bashlin glove bag](#).

Other available styles include: Linemen's mittens, bell cuff, contour cuff, crippled hand gloves.

Maximum Usage	Class	Test Voltage	Color	10-1/2"	14"	16"	18"
1,000v	0	5,000v	Yellow	110Y	140Y	N/A	N/A
7,500v	1	10,000v	Black	N/A	14-10B	16-10B	18-10B
17,000v	2	20,000v	Black	N/A	14-20B	16-20B	18-20B
17,000v	2	20,000v	Yellow/Black	N/A	14-20YB	16-20YB	18-20YB
26,500v	3	30,000v	Yellow/Black	N/A	N/A	16-30YB	18-30YB
36,000v	4	40,000v	Black	N/A	N/A	N/A	18-40B
36,000v	4	40,000v	Yellow/Black	N/A	N/A	N/A	18-40YB

**KUNZ "FREE THUMB"
 LEATHER PROTECTOR
 GLOVES**
 Made in the USA

Kunz leather protector gloves now feature the NEW "Free Thumb" design. This improvement allows extra thumb movement for the wearer. The result is less stress on the hands, and less fatigue for the linemen. The gloves retain the Kunz fit and overall flexibility, and they offer the same durable protection Kunz has always provided.



999/999S



1050-3

1200-3



1050

1057

Use (Voltage)	O.A.L. Length/Style	Cream Cowhide	Goatskin	Buck Tan Cowhide	Ship Wt. (Pair)
Low	9" with strap	—	999S*	—	.4 lb
Low	9"	—	999*	—	.4 lb
High	12"	1050-3*	1200-3*	1057-3	.6 lb
High	12" Bell Cuff	1050-3BC*	1200-3BC	1057-3BC	.6 lb
High	14"	1050-5*	1200-5	1057-5	.7 lb
High	12" Mitten	1050-3-1F	—	—	.6 lb
High	12" Mitten/ Bell Cuff	1050-3-1FBC	—	—	.7 lb
	*Stock Item				

LINEMEN'S BLANKETS

These linemen's blankets are available in Type I natural rubber and Type II ozone resistant synthetic material. They meet or exceed all current ASTM specifications.



No.	Type	Size	Color	Rating	Ship Wt.
LB127	I	27"x36"	Black	20kV	6.25 lb
LB136	I	36"x36"	Black	20kV	6.5 lb
LBS127	II	27"x36"	Orange	40kV	6.25 lb
LBS136	II	36"x36"	Orange	40kV	6.5 lb

SLOTTED LINEMEN'S BLANKETS

These Type II blankets have 2" and 4-1/2" center holes.

No.	Ctr. Hole	Size	Color	Rating	Ship Wt.
LBS136SL	2"	36"x36"	Orange	40kV	8 lb
LBS136SL-4	4-	36"x36"	Orange	40kV	8 lb



No.	Ctr. Hole	Size	Color	Rating	Ship Wt.
LBS136SL	2"	36"x36"	Orange	40kV	8 lb
LBS136SL-4	4-1/2"	36"x36"	Orange	40kV	8 lb

ZIP-ON BLANKETS

Salisbury's Type II blankets use Velcro fasteners for fast, easy application. They are ideal for cross arm braces and primary elbows.



No.	Size	Color	Rating	Ship Wt.
LBSV118	18"x36"	Orange	40kV	1.75 lb
LBSV127	27"x36"	Orange	40kV	8.5 lb

PVC INSULATING SHEETING

Designed for one use only.

This is an excellent alternative to standard linemen's blankets for low voltage applications. This is tested to 10kV and meets all of the appropriate ASTM standards.



PVC136-50	Sheeting — 50' roll		50 lb
PVC136FB	Fiber storage box		19 lb

SIZING RUBBER GLOVES

Proper sizing is important for comfort. To determine the correct size, measure the circumference of the worker's hand below the base of the fingers, on a line parallel to the finger crotches, passing through the thumb crotch. Add one inch.

Please state size when ordering.

Order these gloves by

FOR EXAMPLE

rubber glove size. Bashlin stocks whole sizes only. Round half sizes up to the next whole size for proper fit.

Linemen's Glove Size 9-1/2

Protector Size 10

Linemen's Glove Size 10

Protector Size 10

TESTING

100% of Bashlin gloves are tested by the manufacturer prior to shipment. If requested, an inservice date can be marked on the gloves. Certified 3rd party testing is also available. Contact us for further testing information.

THE FLORIDIAN

Superior design and performance make this belt the industry standard. It combines a padded, contour cushion section with flares for the shifting "D" rings and a 5-1/2" back. This belt gives excellent support and climbing comfort. It is a practical belt with wearable quality which makes it economical.



No. 88 6.50 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

THE BASHLIN DELUXE

The Bashlin Deluxe is a field-tested, proven design. It is one of the original semi-floating, shifting "D" belts. The shifting "D"s reduce chafing and bumps on the hips. The 5" cushion pad is soft and breaks in easily. The harness leather tool loops and tongue and buckle section are designed for rugged wear.



No. 60FH 6.25 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

THE DAKOTA

The Dakota features a 6 ply nylon tongue and buckle with a unique padded, suedelike, contour cushion section. The 5-1/2" wide, split leather cushion is comfortable and makes it easier for the lineman who has trouble keeping his belt in position. This belt offers a full shifting "D" saddle and semi-floating design at an economical price.



No. 76 5.25 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

THE SPARTAN

This distinctive fixed "D" belt offers comfort and quality in a semi-floating, 5" wide tool belt. It is rugged, yet lightweight. It features harness leather tool loops and a nylon reinforced tongue and buckle.



No. 72HR 6.00 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

THE JOURNEYMAN

Here is a belt designed with the professional in mind. The cushion is glove-soft, yet extremely durable. It features a full shifting "D" saddle and a rolled edge cushion. This is an ideal belt for the lineman who wants value.



No. 160NL 6.00 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

THE NYLON DELUXE

A familiar design in a shifting "D" nylon belt. The neoprene impregnated nylon back is light, durable and flexible in extreme temperature ranges. The 5" leather cushion section is comfortable. The tongue and buckle is 6 ply nylon and the tool loops are leather.



No. 160N 6.00 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

THE WRANGLER

A 5" cushion section, a nylon back, and a 6 ply tongue and buckle section are features of this practical favorite. It is lightweight, with standard comfort features, including Bashlin's S-shaped "D" rings and an all leather cushion.



No. 1511N 5.25 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

THE NYLON SPARTAN

The Spartan, made of durable nylon, has a semi-floating, fixed "D" design that makes tool handling easier. The nylon back and tongue facilitates maintenance, and a soft leather 5" cushion adds to the comfort of this very practical belt.



No. 71N 5.75 lb

[Sizing Chart](#) [Inspection](#) [Maintenance](#)

POLE OR POSITIONING STRAPS

Bashlin's "HL" series Pole Straps feature the easy to use HL snap. This snap action is similar to single locking snaps. All Bashlin Pole Straps meet or exceed ASTM and OSHA requirements.



[Inspection](#) [Maintenance](#)

50 Series Nylon Straps

No. 51N-2HL	5'6" Strap	3.75 lb
No. 52N-2HL	6' Strap	3.75 lb
No. 53N-2HL	6'6" Strap	4 lb
No. 54N-2HL	7' Strap	4 lb

78 Series Leather / Nylon Straps

No. 78X-2HL	5'6" Strap	4.25 lb
No. 78A-2HL	6' Strap	4.25 lb
No. 78B-2HL	6'6" Strap	5 lb
No. 78C-2HL	7' Strap	5 lb

POLE CLIMBERS BD14 SERIES

The BD14 is Bashlin's aluminum alloy offset climber with a replaceable, forged steel gaff. This lightweight climber reduces fatigue and adds climbing comfort. Comparable steel climbers weigh 30% more. The aluminum alloy construction sacrifices some wearing qualities.

WARNING: Climbers are to be used by trained personnel only.

No. BD14-1N	Bottom straps attached	4.25 lb
No. BD14-2N	Bottom straps attached, and top straps	4.75 lb
No. BD14-3N	Bottom straps attached, top straps and #110D pads	5.25 lb
No. BD14-4N	Bottom straps attached, top straps and #130D pads	5.50 lb



Nylon Straps are standard on all Bashlin Climbers

[Inspection](#) [Maintenance](#)

No. BD14-1N	Bottom straps attached	4.25 lb
No. BD14-2N	Bottom straps attached, and top straps	4.75 lb
No. BD14-3N	Bottom straps attached, top straps and #110D pads	5.25 lb
No. BD14-4N	Bottom straps attached, top straps and #130D pads	5.50 lb
No. BD14-5N	Bottom straps attached, top straps and #140DS pads	5.75 lb

Polished gaffs are available for CCA and other harder poles.
Add "P" to the Number. Polished replacement gaffs are No. 14P.

POLE CLIMBERS BD16B SERIES

This rugged, steel alloy adjustable climber features a replaceable gaff, roomy ankle area, and a triangular strap ring.

WARNING: Climbers are to be used by trained personnel only.



Nylon Straps are standard on all Bashlin Climbers

[Inspection](#) [Maintenance](#)

No. BD16B-1N	Bottom straps attached	5.50 lb
No. BD16B-2N	Bottom straps attached, and top straps	6.00 lb
No. BD16B-3N	Bottom straps attached, top straps and #110D pads	6.50 lb
No. BD16B-4N	Bottom straps attached, top straps and #130D pads	6.75 lb
No. BD16B-5N	Bottom straps attached, top straps and #140DS pads	7.00 lb

Polished gaffs are available for CCA and other harder poles.
Add "P" to the Number. Polished replacement gaffs are No. 14P.

POLE CLIMBERS BD16BC SERIES

This steel climber has a replaceable gaff and twisted shank. The twisted shank lies flatter on the leg for more comfort.

WARNING: Climbers are to be used by trained personnel only.

No. BD16BC-1N	Bottom straps attached	5.50 lb
---------------	------------------------	---------



Nylon Straps are standard on all Bashlin Climbers

[Inspection](#) [Maintenance](#)

No. BD16BC-1N	Bottom straps attached	5.50 lb
No. BD16BC-2N	Bottom straps attached, and top straps	6.00 lb
No. BD16BC-3N	Bottom straps attached, top straps and #110D pads	6.50 lb
No. BD16BC-4N	Bottom straps attached, top straps and #130D pads	6.75 lb
No. BD16BC-5N	Bottom straps attached, top straps and #140DS pads	7.00 lb

Polished gaffs are available for CCA and other harder poles.
Add "P" to the Number. Polished replacement gaffs are No. 14P.

REPLACEMENT PARTS FOR BASHLIN CLIMBERS



*BD12 Series features non-replaceable gaffs

Note: Replacement Gaffs include screws

Replacement Parts Gaff Inspection & Maintenance	BD14 Series	BD12* BD16B Series	Ship. Wt.
A. Adj. Top Slide 15"- 18"	#14TS	#16TS	.60 lb
B. Adj. Top Slide 18"- 21"	#14ATS	#16ATS	.85 lb
C. Top Slide Screws	#4T	#4T	.05 lb
D. Gaff Screws	#4G	#4G	.05 lb
E. Split Ring	#3	#3	.15 lb
F. Gaffs 1-5/8"	#14	#14	.50 lb
G. Polished Gaffs 1-5/8"	#14P	#14P	.50 lb
H. Tree Gaffs 2-1/2"	#14T	#14T	.60 lb

CLIMBER ACCESSORIES

Only Bashlin Gaffs may be used as replacements in Bashlin Climbers.

Gaff Guard

Protect the tips of your Gaffs and yourself with Bashlin Leather Gaff Guards.



Gaff Guard

Protect the tips of your Gaffs and yourself with Bashlin Leather Gaff Guards.

No. 2	For replaceable Gaffs	.20 lb
--------------	-----------------------	--------



Gaff Gauge

Bashlin's Gaff Gauge measures the correct length, width, thickness and shape of the gaff.

No. 5	Gaff Gauge only	.20 lb
--------------	-----------------	--------

[Gaff Inspection & Maintenance](#)



Gaff Replacement Jig

This jig holds the climbers securely without damage to the shank section and makes gaff replacement on Bashlin climbers much easier.

No. 17	Gaff Replacement Jig	1 lb
---------------	----------------------	------

[Gaff Inspection & Maintenance](#)



Bashlin Gaff Shaping Kit

Bashlin's Gaff Shaping Kit combines the necessary tools to maintain gaffs in a neat, compact case. It includes a file with handle, gaff gauge, finishing stone and instructions. The gauge will work only with Bashlin Gaffs.

No. 27	Gaff Shaping Kit (complete)	.55 lb
---------------	-----------------------------	--------

No. 27-1	Case	.25 lb
-----------------	------	--------

No. 27-2	Sharpening Stone	.15 lb
-----------------	------------------	--------

No. 27-3	Mill File, 6"	.20 lb
-----------------	---------------	--------

No. 27-5	Wood File Handle	.08 lb
-----------------	------------------	--------

No. 5	Gaff Gauge	.20 lb
--------------	------------	--------

[Gaff Inspection & Maintenance](#)

CLIMBER PADS

Bashlin offers a variety of climber pads to suit your individual needs.



No. 105A	Climber pads for use on steel climbers	1.5 lb
No. 105AC		



No. 105B	Climber pads for use on aluminum climbers	1.5 lb
No. 105BC		



No. 110D	Climber pad, 2-ply	.6 lb
No. 130D	Climber pad, L-shaped design	.7 lb
No. 140DS	Climber pad, wing pad	1.25 lb
No. 150TS	Climber pad, T-shaped design	.9 lb
No. 145	Sierra Moreno pads (These pads require 2 sets of top straps.)	3.00 lb

683X STYLE HARNESS

This harness was designed for the utility industry. It has steel connectors and field proven 10,000 lb. test nylon webbing.



[Sizing Bashlin Harnesses](#)

- Easy to don.
- All hardware is low on the torso.
- "X" design keeps the straps on the shoulders while working.
- Front loop for self rescue.
- Meets ANSI/ASTM/OSHA specifications.

No. 683XA	Nylon Loop	3.5 lb
No. 683XB	24" Loop Extension	3.5 lb
No. 683XC	24" "D" Extension	4 lb
No. 683XD	3" D-Ring	4 lb

662A STYLE HARNESS

This harness is a one size fits most design with an adjustable front chest strap. It features contrasting color webbing for easy donning.



[Sizing Bashlin Harnesses](#)

No. 662AA	Nylon Loop	4 lb
No. 662AB	24" Loop Extension	4 lb
No. 662AC	24" "D" Extension	4.5 lb
No. 662AD	3" D-Ring	4.5 lb

LANYARDS

Bashlin's 2000 Series Lanyards are for fall arrest applications. They feature forged hardware and meet the ANSI and OSHA requirements.



No. 2004NXB-6 6' Nylon Rope with B-Lan 2 lb



No. 2004NWB-6 Nylon Web with B-Lan 2 lb



No. 2005NWB-6 6' Nylon Web with B-Lan and loop end 1.5 lb



No. 2006NWB-6 6' Nylon Web adjustable with a B-Lan 2.5 lb



No. 2005NWBA-6 6' Nylon Web adjustable 4.5 lb



No. 2306-6HL 2" Tubular Nylon Web, with elastic core and woven polyester shock absorbing device, 6650 snaps on the ends. Expands 4.5' to 6' 2.2 lb



No. 2804-6HL 1" Tubular Nylon Web with a woven polyester shock absorbing core. 2 lb



No. 2805-6HL

1" Tubular Nylon Web with a woven polyester shock absorbing core, and one loop end.

2 lb

YALE ROPE SLINGS

Yale adjustable rope slings make awkward lifts much easier. They are available in PolyPlus or Yalex rope. Approximate ship weight is 3 lb.



CAUTION: Always inspect slings before use.

Heavily abraded, burned or cut slings should be removed from service. If you have any questions, call Bashlin at 724-458-8340.

Number		Adjustment	Vertical	Choker	Basket
960P	1/2" PolyPlus™	28" - 48"	1496	1197	2992
960Y	5/8" Yalex™	32" - 60"	3203	2562	6406
960YL	5/8" Yalex™	32" - 96"	3203	2562	6406

POLE SLINGS

Bashlin's pole slings are available with (2011) or without (2012) hardware. The 2011 is designed for easy use with a shotgun stick.



Number	Width	Vertical	Basket	Choker	Ship Wt.
2011-36	1-3/4"	1000	2000	1000	1.75 lb
2011-48	1-3/4"	1000	2000	1000	1.75 lb
2012-36	1-3/4"	3500	7000	2600	1.00 lb
2012-48	1-3/4"	3500	7000	2600	1.00 lb

TAGGING POLE BAND

This band provides an additional means of keeping lineworkers informed during outages. It is made of a nylon material, with reflective stripes for added visibility. A durable clear pocket is for the information card, while the band is held in place using a hook and loop closure. Maximum pole diameter is 14". Larger sizes are available on request.



No. 719	Pole Band	.50 lb
---------	-----------	--------

WIRE BASKET

Here is a lightweight, compact wire dispenser that will accommodate reels up to 26" x 4-1/4". It features a hanger for easy mounting on a truck, and an eyelet for temporary pole attachment.



No. 902	Wire Basket	11 lb
---------	-------------	-------

CROSS ARM IRON

This device provides a quick, easy anchor point for hoisting 25 KVA or smaller system equipment. It is easily installed and removed using a switch stick. The load rating is 500 lb.



No. 901LF	Cross Arm Iron	3 lb
-----------	----------------	------

PAY-OUT REELS

Bashlin's fully adjustable 900 Pay-Out Reel is an all purpose device for use on trucks or as a portable pay-out reel. Since the diameter and width are adjustable, it will work on many sizes of coils. A standard grease fitting provides full lubrication. A brake is provided to maintain tension.

900-900X coil capacity



900

900-900X coil capacity

Diameter	14" (minimum)	32" (maximum)
Width	6" (minimum)	11" (maximum)



900X

Number	Hgt.	Width	Depth	Weight	Ship Wt.
900	40"	37"	19"	145 lb	175 lb
900S	35"	32"	19"	95 lb	120 lb
900X	45"	37"	19"	165 lb	180 lb

HANDLINES

Bashlin's handlines include 75' of rope, a premium block, 500 lb. test hook, and 750 lb. test snap. They are available in either 1/2" Yale PolyPlus™ or 1/2" polyester twist.



940

No. 940	Complete assembly w/ 1/2" braided rope	8.75 lb
No. 940T	Complete assembly w/ 1/2" twisted rope	8.75 lb
No. 940R	1/2" PolyPlus braided rope w/ a 470 snap only	5.00 lb
No. 940 RT	1/2" Polyester twisted rope w/ a 470 snap only	5.00 lb

PARTS FOR HANDLINE ASSEMBLIES

No. 33	Handline carrier	1 oz
No. 35	Handline hook, 500 lb test	10 oz
No. 1234	Snap, 5,000 lb test	12 oz



No. 1234	Snap, 5,000 lb test	12 oz
No. 2000	Snap, 5,000 lb test	12 oz
No. 443A	Snap, 1,500 lb test	9 oz
No. 470	Snap, 750 lb test	5 oz
No. 3550	Nylon block, 1000 lb load	2 lb
No. 940RTLS	Rope — 1/2" polyester twist 75' long	5 lb
No. 940RLS	Rope — 1/2" PolyPlus braid 75' long	5 lb

SLACK BLOCK ASSEMBLY

This assembly is available with 30' of either 3/8" braided or 3/8" twisted PolyPlus rope. The "H" series features extended nose hooks. Maximum safe working load is 750 lb.



No. 945	Assembly, braided rope	4.25 lb
No. 945T	Assembly, twist rope	4.25 lb
No. 945H	Assembly, braided rope	4.25 lb
No. 945HT	Assembly, twist rope	4.25 lb

PARTS FOR SLACK BLOCKS

Klein galvanized steel blocks have snubbing hooks to hold the loads (for rope to 3/8").



No. 258	Anchor hook, 750 lb safe load	1 lb
No. 259	Swivel hook, 750 lb safe load	1 lb
No. 267	Plain block	1 lb
No. H267	Block with extended hook	1 lb
No. 268	Block with eye and snub hook	1 lb
No. H268	Block with eye, snub hook and extended nose	1 lb

TOOL BAGS

All Bashlin tool bags are made from heavy duty cotton duck. They feature non-conductive frames and reinforced bottoms. The PVC hooks are included.



706

This bag has ten inside pockets for tools.

No. 706	14" x 7" x 10"	3 lb
---------	----------------	------



706S

The standard 706 design has a rope with snap for hanging instead of PVC hooks.

No. 706S	14" x 7" x 10"	3 lb
----------	----------------	------



706-20

This model of the 706 is 20" deep and has ten inside pockets.

No. 706-20	14" x 7" x 20"	3.25 lb
------------	----------------	---------

Customize your canvas products. Bashlin will put your name/slogan on your bags for a minimal cost. Contact customer service for details.

12S SERIES

This canvas bag is made of No. 6 cotton duck and is designed to carry the essential items used by a lineman. It has a steel frame with nylon web handles and a sturdy masonite bottom. The outside pocket is for rubber gloves while the inside pocket is for climbers. The "S" model features a nylon web shoulder strap.



No. 12S	8 lb	No. 12SS	9 lb	No. 12SC	8 lb
---------	------	----------	------	----------	------

22" x 13" x 11"

22" x 13" x 11"
w/ shoulder strap

22" x 13" x 11"
coated nylon

TOOL BUCKETS

Bashlin's rugged canvas tool buckets have non-conductive rings and durable leather or plastic bottoms. They are available with or without the snap. The #23 bucket features an inside pocket. All are available in coated nylon, add a "C" to the part number.



Leather Bottom

No. 18	7" dia x 12" deep	1.5 lb
No. 18LS	7" dia x 12" deep – no snap	1.5 lb
No. 23	12" dia x 16" deep	3 lb
No. 23LS	12" dia x 16" deep – no snap	3 lb

Plastic Bottom

No. 18P	7" dia x 12" deep	1.5 lb
No. 18LSP	7" dia x 12" deep – no snap	1.5 lb
No. 23P	12" dia x 16" deep	3 lb
No. 23LSP	12" dia x 16" deep – no snap	3 lb

Customize your canvas products. Bashlin will put your name/slogan on your bags for a minimal cost. Contact customer service for details.

LINEMEN'S GLOVE BAGS

Bashlin's glove bags are available in heavy duty cotton duck and durable coated nylon. They are double sewn and include drain holes in the bottom. Button snap closures and an attachment hook are standard. These bags are the best way to ensure proper protection of rubber gloves.



No. 24M	Standard opening (10-1/2" gloves)	7 oz
No. 24	Standard opening (14" gloves)	11 oz
No. 24B	Bellows opening (14" gloves)	11 oz
No. 24L	Standard opening (16" gloves)	11 oz
No. 24LB	Bellow opening (16" gloves)	12 oz



Add "C" for coated nylon material (No extra cost)

Add a pocket for safety glasses by including a "GP" in the part number.

No. 24L	Standard opening (16" gloves)	11 oz
No. 24LB	Bellow opening (16" gloves)	12 oz
No. 24XL	Standard opening (18" gloves)	12 oz
No. 24XLB	Bellows opening (18" gloves)	13 oz
No. 24L2P	2 pocket glove bag (16" gloves)	1.25 lb
No. 24XL2P	2 pocket glove bag (18" gloves)	1.25 lb

LINEMEN'S SLEEVE BAGS

Bashlin's sleeve bags feature the same quality construction as the glove bags. Snap/button closure, hanging loop, and attachment hook are standard.



No. 24SL	Sleeve bag	1.0 lb
----------	------------	--------

Add "C" for coated nylon material (No extra cost)

Customize your canvas products. Bashlin will put your name/slogan on your bags for a minimal cost. Contact customer service for details.

GLOVE/SLEEVE BAGS

For extra versatility, combine the glove and sleeve bags. The standard size sleeve bag is combined with the glove bag.



No. 24SLGP-15"	For 14" rubber gloves	2 lb
No. 24SLGP-17"	For 16" rubber gloves	2 lb
No. 24SLGP-19"	For 18" rubber gloves	2 lb

Add "C" for coated nylon material (No extra cost)

Add a pocket for safety glasses by including a "GP" in the part number.